CONSENT OF LANDOWNER

San Luis Obispo County Department	of Planning and Building	File No
	- · · · · · · · · · · · · · · · · · · ·	

I (we) the undersigned owner of record of the fee interest in the parcel of land located at (print address): 6254 Huasna Townsite Road, Arroyo Grande, CA 93420, identified as Assessor Parcel Number 085-271-001 and 085-271-004 , for which a construction permit, land use permit, land division, general plan or ordinance amendment, or LAFCo application referral is being filed with the county requesting an approval for: Oil field exploration and development (specify type of project, for example: addition to a single family residence; or general plan amendment), do hereby certify that: 1. Such application may be filed and processed with my (our) full consent, and that I (we) have authorized the agent named below to act as my (our) agent in all contacts with the county and to sign for all necessary permits in connection with this matter. 2. I (we) hereby grant consent to the County of San Luis Obispo, its officers, agents, employees, independent contractors, consultants, sub-consultants and their officers, agents, and employees to enter the property identified above to conduct any and all surveys and inspections that are considered appropriate by the inspecting person or entity to process this application. This consent also extends to governmental entities other than the county, their officers, agencies, employees. independent contractors, consultants, sub-consultants, and their officers agents or employees if the other governmental entities are providing review, inspections and surveys to assist the county in processing this application. This consent will expire upon completion of the project. 3. If prior notice is required for an entry to survey or inspect the property. Please contact: Print Name: Howard D. Mankins Daytime Telephone Number: 805-489-7866 4. I (we) hereby give notice of the following concealed or unconcealed dangerous conditions on the property PERSON OR ENTITY GRANTING CONSENT: Print Name: Howard D. Mankins Print Address: 1005 El Camino Real, Arroyo Grande, CA 93420 Daytime Telephone Number: 805-489-7866 Signature of landowner: Symand Phy anking **AUTHORIZED AGENT:**

Print Address: Oasis Associates, Inc. 3427 Miguelito Court San Luis Obispo, CA 93401

Print Name: C.M. Forence, AICP

Signature of authorized agent:

Daytime Telephone Number: (805) 541.4509

Date: 21 July 2009

GENERAL APPLICATION FORM

LAND USE PERMIT APPLICATION PACKAGE

SLOPLANNING.ORG

SAN LUIS OBISPO COUNTY PLANNING & BUILDING

San Luis Obispo County Department of Planning and Building File No _____ APPLICATION TYPE - CHECK ALL THAT APPLY ⊕ Emergency Permit Tree Permit ⊕ Plot Plan Zoning Clearance Site Plan 令 Minor Use Permit ⊕ Variance 슌 Other X Conditional Use Permit/Development Plan Surface Mining/Reclamation Plan Curb, Gutter & Sidewalk Waiver APPLICANT INFORMATION Check box for contact person assigned to this project Daytime Phone 805-489-7866 Mailing Address 1005 El Camino Real, Arroyo Grande, CA Zip Code 93420 Email Address: ☆ Applicant Name Excelaron LLC Daytime Phone 805-549-0760 Mailing Address 1075 Court Street Suite 207, San Luis Obispo, CA Zip Code 93401 Email Address: kmatlick@excelaron.net Daytime Phone 805-549-0760 Mailing Address 3427 Miguelito Court, San Luis Obispo, CA Zip Code 93401 Email Address: cmf@oasisassoc.com **PROPERTY INFORMATION** Total Size of Site: 259.76 acres Assessor Parcel Number(s): 085-271-001, 085-271-004 Legal Description: Lot 4, East one-half (E ½) of the Southwest one-quarter (SW ¼) and the Southwest one-quarter (SW 1/4) of the Southeast one-quarter (SE 1/4) of Section 30, Township 12 North, Range 33 West, SBB&M. Lots 1, 2, 3, and 6, and the NW-1/4 of SE-1/4 of Section 30, Township 12 North, Range 33 West, San Bernardino Base & Meridian Address of the project (if known): 6254 Huasna Townsite Road, Arroyo Grande, CA 93420 Directions to the site (including gate codes) - describe first with name of road providing primary access to the site, then nearest roads, landmarks, etc.: Site is 1.5 miles west of Huasna Townsite Road, 3 miles south of Huasna Road, approximately 12 miles east-southeast of Arroyo Grande. Describe current uses, existing structures, and other improvements and vegetation on the property: Current use: grazing land. No structures. Improvements and vegetation are described in the Project Description. PROPOSED PROJECT Describe the proposed project (inc. sq. ft. of all buildings): See Project Description LEGAL DECLARATION I, the owner of record of this property, have completed this form accurately and declare that all statements here are true. I do hereby grant official representatives of the county authorization to inspect the subject Date 7-21-09 Property owner signature FOR STAFF USE ONLY Reason for Land Use Permit:

Page 4 of 16

JULY 1, 2009

PLANNING@CO.SLO.CA.US

LAND USE PERMIT APPLICATION

San Luis Obispo County Department of Planning and Building

File No	

「ype of project: ௴ Commercial ௴ Industrial ௴ Residential ௴ Recreational X Other
Describe any modifications/adjustments from ordinance needed and the reason for the request (if applicable): None
Describe existing and future access to the proposed project site: See Project Description
Surrounding parcel ownership: Do you own adjacent property? ∜ Yes X No f yes, what is the acreage of all property you own that surrounds the project site?
Surrounding land use: What are the uses of the land surrounding your property (when applicable,
please specify all agricultural uses):
North: <u>Agricultural</u> South: <u>Rural Land</u>
East: <u>Agricultural/ Rural</u> West: <u>Rural Land</u>
For all projects, answer the following: Square footage and percentage of the total site (approximately) that will be used for the following: Buildings:sq. feet _0% Landscaping:sq. feet _0% Paving:sq. feet _0% Other (specify) Total area of all paving and structures: < 5 acres
·
Total area of grading or removal of ground cover: < 2.2 acres of
oads and <2 acres of roads Number of parking spaces proposed: 0 Height of tallest structure: <25 feet
Number of trees to be removed: 2 Type: Coast Live Oak
Setbacks: Front < 100 feet Right < 100 feet Left < 100 feet Back < 100 feet
Proposed water source: ♣ On-site well ♣ Shared well X Other N/A
⊕ Community System - List the agency or company responsible for provision:
Do you have a valid will-serve letter?
Proposed sewage disposal: † Individual on-site system X Other N/A
ি Community System - List the agency or company responsible for sewage disposal:
Do you have a valid will-serve letter?
bo you have a valid will-serve letter?
Fire Agency: List the agency responsible for fire protection: CalFire
For commercial/industrial projects answer the following:
Fotal outdoor use area: 259.76
Fotal floor area of all structures including upper stories: <50,000 sq. feet
or residential projects, answer the following:
Number of residential units: 0 Number of bedrooms per unit: 0
Total floor area of all structures including upper stories, but not garages and carports: 0
Fotal of area of the lot(s) minus building footprint and parking spaces: 0

ENVIRONMENTAL DESCRIPTION FORM

San Luis Obispo County Department of Planning and Building

File No	

The California Environmental Quality Act (CEQA) requires all state and local agencies to consider and mitigate environmental impacts for their own actions and when permitting private projects. The Act also requires that an environmental impact report (EIR) be prepared for all actions that may significantly affect the quality of the environment. The information you provide on this form will help the Department of Planning and Building determine whether or not your project will significantly affect the quality of the environment.

To ensure that your environmental review is completed as quickly as possible, please remember to:

- a. Answer ALL of the questions as accurately and completely as possible.
- b. Include any additional information or explanations where you believe it would be helpful or where required. Include additional pages if needed.
- c. If you are requesting a land division or a re-zoning, be sure to include complete information about future development that may result from the proposed land division or rezoning.
- d. Include references to any reports or studies you are aware of that might be relevant to the questions asked or the answers you provide.

Should a determination be made that the information is inaccurate or insufficient, you will be required to submit additional information upon request.

Physical Site Characteristic Information

Describe the topography of the site:

1.

Your site plan will also need to show the information requested here:

	=						
	Level to gently rolling, 0-10% slopes:	5	acres				
	Moderate slopes of 10-30%:	201	acres				
	Steep slopes over 30%:	53	acres				
2.	Are there any springs, streams, lakes or mail f yes, please describe:	rshes on	or near the site?	X	Yes	⊕ No	
3.	Are there any flooding problems on the site	or in the	surrounding area?	X	Yes	⊕ No	
	If yes, please describe: See attached Twite						
4.	Has a drainage plan been prepared?		 	分	Yes	X No	
	If yes, please include with application.			_			
5.	Has there been any grading or earthwork on	the proje	ect site?	X	Yes	⊕ No	
	If yes, please explain: Existing roads and	well pads	from previous operat	ions			
6.	Has a grading plan been prepared?		-	分	Yes	X No	
	If yes, please include with application.						
7.	Are there any sewer ponds/waste disposal s	ites on/a	diacent to the project?	&	Yes	X No	
8.	Is a railroad or highway within 300 feet of yo			╬	Yes	X No	
9.	Can the proposed project be seen from surre			Χ	Yes	⊕ No	
	If yes, please list: A minor portion is v	isible from	n Huasna Townsite Ro	oad			

Water Supply Information

1.	What type of water supply is proposed? <u>N/A</u> ⊕ Individual well ⊕ Shared well ⊕ Community water system
2.	What is the proposed use of the water?
	⊕ Residential ⊕ Agricultural - Explain <u>N/A</u>
	⊕ Commercial/Office - Explain
	⊕ Industrial – Explain
3.	What is the expected daily water demand associated with the project? <u>0 gallons</u>
4 .	
5.	Do operable water facilities exist on the site?
J .	
6.	The Yes X No If yes, please describe: Has there been a sustained yield test on proposed or existing wells?
0.	
_	⊕ Yes X No If yes, please attach.
7.	Does water meet the Health Agency's quality requirements? N/A
	Bacteriological? † Yes † No Chemical? † Yes † No
	Chemical?
	Friysical Y Yes Y No
	Water analysis report submitted?
8.	y
	County Environmental Health.
	♥ Well Driller's Letter ♥ Water Quality Analysis ♥ OK or ♥ Problems
	⊕ Will Serve Letter ⊕ Pump TestHoursG.P.M.
	⊕ Surrounding Well Logs X Hydrologic Study ⊕ Other
	ase attach any letters or documents to verify that water is available for the proposed project.
<u>Sev</u>	N/A Portable units will be serviced by contract on-site (individual) subsurface sewage disposal system will be used:
<u>Sev</u> If a	N/A Portable units will be serviced by contract n on-site (individual) subsurface sewage disposal system will be used:
<u>Sev</u> If a	N/A Portable units will be serviced by contract on on-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished?
Sew If an	N/A Portable units will be serviced by contract n on-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ↑ Yes ↑ No If yes, please attach a copy.
Sev If a 1.	N/A Portable units will be serviced by contract n on-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ↑ Yes ↑ No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells?feet
Sev If a 1.	An on-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ♣ Yes ♣ No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells?
Sev If a 1.	N/A Portable units will be serviced by contract n on-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ↑ Yes ↑ No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells?feet
1. 2. 3.	N/A Portable units will be serviced by contract n on-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ↑ Yes ↑ No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells? feet Will subsurface drainage result in the possibility of effluent reappearing in surface water or on adjacent lands, due to steep slopes, impervious soil layers or other existing conditions? ↑ Yes ↑ No
1. 2. 3.	N/A Portable units will be serviced by contract n on-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? The Yes The No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells? Will subsurface drainage result in the possibility of effluent reappearing in surface water or on adjacent lands, due to steep slopes, impervious soil layers or other existing conditions? The Yes The No Has a piezometer test been completed?
1. 2. 3. 4.	MA Portable units will be serviced by contract non-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ♣ Yes ♣ No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells? feet Will subsurface drainage result in the possibility of effluent reappearing in surface water or on adjacent lands, due to steep slopes, impervious soil layers or other existing conditions? ♣ Yes ♣ No Has a piezometer test been completed? ♣ Yes ♣ No
1. 2. 3. 4.	MA Portable units will be serviced by contract non-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ♣ Yes ♣ No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells? feet Will subsurface drainage result in the possibility of effluent reappearing in surface water or on adjacent lands, due to steep slopes, impervious soil layers or other existing conditions? ♣ Yes ♣ No Has a piezometer test been completed? ♣ Yes ♣ No Will a Waste Discharge Permit from the Regional Water Quality Control Board be required?
1. 2. 3. 4.	MA Portable units will be serviced by contract non-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ♣ Yes ♣ No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells?feet Will subsurface drainage result in the possibility of effluent reappearing in surface water or on adjacent lands, due to steep slopes, impervious soil layers or other existing conditions? ♣ Yes ♣ No Has a piezometer test been completed? ♣ Yes ♣ No Will a Waste Discharge Permit from the Regional Water Quality Control Board be required? ♣ Yes ♣ No (a waste discharge permit is typically needed when you exceed 2,500 gallons per
1. 2. 3. 4.	MA Portable units will be serviced by contract non-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ♣ Yes ♣ No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells? feet Will subsurface drainage result in the possibility of effluent reappearing in surface water or on adjacent lands, due to steep slopes, impervious soil layers or other existing conditions? ♣ Yes ♣ No Has a piezometer test been completed? ♣ Yes ♣ No Will a Waste Discharge Permit from the Regional Water Quality Control Board be required?
1. 2. 3. 4. 5.	Mage Disposal Information N/A Portable units will be serviced by contract non-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ♣ Yes ♣ No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells?feet Will subsurface drainage result in the possibility of effluent reappearing in surface water or on adjacent lands, due to steep slopes, impervious soil layers or other existing conditions? ♣ Yes ♣ No Has a piezometer test been completed? ♣ Yes ♣ No Will a Waste Discharge Permit from the Regional Water Quality Control Board be required? ♣ Yes ♣ No (a waste discharge permit is typically needed when you exceed 2,500 gallons per day)
1. 2. 3. 4. 5.	MA Portable units will be serviced by contract non-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ♣ Yes ♣ No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells? Will subsurface drainage result in the possibility of effluent reappearing in surface water or on adjacent lands, due to steep slopes, impervious soil layers or other existing conditions? ♣ Yes ♣ No Has a piezometer test been completed? ♣ Yes ♣ No Will a Waste Discharge Permit from the Regional Water Quality Control Board be required? ♣ Yes ♣ No (a waste discharge permit is typically needed when you exceed 2,500 gallons per
1. 2. 3. 4. 5.	Mage Disposal Information N/A Portable units will be serviced by contract non-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ♣ Yes ♣ No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells?
1. 2. 3. 4. 5.	Mage Disposal Information N/A Portable units will be serviced by contract non-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ♣ Yes ♣ No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells?feet Will subsurface drainage result in the possibility of effluent reappearing in surface water or on adjacent lands, due to steep slopes, impervious soil layers or other existing conditions? ♣ Yes ♣ No Has a piezometer test been completed? ♣ Yes ♣ No Will a Waste Discharge Permit from the Regional Water Quality Control Board be required? ♣ Yes ♣ No (a waste discharge permit is typically needed when you exceed 2,500 gallons per day) community sewage disposal system is to be used: Is this project to be connected to an existing sewer line? ♣ Yes ♣ No
1. 2. 3. 4. 5. If a	MA Portable units will be serviced by contract n on-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ♣ Yes ♣ No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells? feet Will subsurface drainage result in the possibility of effluent reappearing in surface water or on adjacent lands, due to steep slopes, impervious soil layers or other existing conditions? ♣ Yes ♣ No Has a piezometer test been completed? ♣ Yes ♣ No Will a Waste Discharge Permit from the Regional Water Quality Control Board be required? ♣ Yes ♣ No (a waste discharge permit is typically needed when you exceed 2,500 gallons per day) community sewage disposal system is to be used: Is this project to be connected to an existing sewer line? ♣ Yes ♣ No Distance to nearest sewer line: Location of connection:
1. 2. 3. 4. 5. If a 1. 2.	N/A Portable units will be serviced by contract n on-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ♣ Yes ♣ No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells? feet Will subsurface drainage result in the possibility of effluent reappearing in surface water or on adjacent lands, due to steep slopes, impervious soil layers or other existing conditions? ♣ Yes ♣ No Has a piezometer test been completed? ♣ Yes ♣ No Will a Waste Discharge Permit from the Regional Water Quality Control Board be required? ♣ Yes ♣ No (a waste discharge permit is typically needed when you exceed 2,500 gallons per day) community sewage disposal system is to be used: Is this project to be connected to an existing sewer line? ♣ Yes ♣ No Distance to nearest sewer line: Location of connection: G.P.D.
1. 2. 3. 4. 5. If a	MA Portable units will be serviced by contract n on-site (individual) subsurface sewage disposal system will be used: Has an engineered percolation test been accomplished? ♣ Yes ♣ No If yes, please attach a copy. What is the distance from proposed leach field to any neighboring water wells? feet Will subsurface drainage result in the possibility of effluent reappearing in surface water or on adjacent lands, due to steep slopes, impervious soil layers or other existing conditions? ♣ Yes ♣ No Has a piezometer test been completed? ♣ Yes ♣ No Will a Waste Discharge Permit from the Regional Water Quality Control Board be required? ♣ Yes ♣ No (a waste discharge permit is typically needed when you exceed 2,500 gallons per day) community sewage disposal system is to be used: Is this project to be connected to an existing sewer line? ♣ Yes ♣ No Distance to nearest sewer line: Location of connection:

Solid Waste Information

1.	What type of solid waste will be generated by the project?					
	⊕ Domestic X Industrial ⊕ Agricultural ⊕ Other, please explain?					
	Name of Solid Waste Disposal Company: Not yet determined					
	Where is the waste disposal storage in relation to buildings? On site					
4.	Does your project design include an area for collecting recyclable materials and/or composting					
	materials?					
_						
Con	munity Service Information					
1.	Name of School District: Lucia Mar Unified School District					
2.	Location of nearest police station: South Station 1681 Front St. Oceano, CA 93445					
3.	Location of nearest fire station: Station 20 450 Pioneer Ave. Nipomo, CA 93444					
	Location of nearest public transit stop: 1303 Fairway Dr, Santa Maria, Ca 93454					
	Are services (grocery/other shopping) within walking distance of the project? Yes X No					
٥.	If yes, what is the distance?feet/miles					
	in you, what is the distance.					
<u>Hist</u>	oric and Archeological Information					
1.	Please describe the historic use of the property:					
	Agricultural/Rural and Oil & Gas Development					
_						
۷.	Are you aware of the presence of any historic, cultural or archaeological materials on the project site					
	or in the vicinity? X Yes					
2	If yes, please describe: See attached Archaeological Report Has an archaeological surface survey been done for the project site? X Yes P No					
٥.	Has an archaeological surface survey been done for the project site? X Yes ⊕ No If yes, please include two copies of the report with the application.					
	if yes, please include two copies of the report with the application.					
Con	nmercial/Industrial Project Information					
Only	complete this section if you are proposing a commercial or industrial project or zoning					
chai						
	Days of Operation: 365/year Hours of Operation: 24/7					
	How many people will this project employ? <u>See Project Description</u>					
3.	Will employees work in shifts? X Yes ⊕ No					
	If yes, please identify the shift times and number of employees for each shift <u>See Project Description</u>					
4	Will this project produce any emissions (i.e., gasses, smoke, dust, odors, fumes, vapors)?					
т.	X Yes ⊕ No If yes, please explain: <u>See attached Air Emissions Report</u>					
5	Will this project increase the noise level in the immediate vicinity? X Yes ♣ No					
0.	If yes, please explain: See attached Acoustical Report					
	(If loud equipment is proposed, please submit manufacturers estimate on noise output.)					
6.	What type of industrial waste materials will result from the project? Explain in detail: Typical wastes					
ge	nerated in oil and gas production facilities					
J						
7.	Will hazardous products be used or stored on-site? X Yes ⊕ No					
	If yes, please describe in detail: Waste associated with oil production operations					
8.	Has a traffic study been prepared? X Yes ⊕ No If yes, please attach a copy.					

9.	Please estimate the number of employees, customers and other project-related traffic trips to or from the project: Between 7:00 - 9:00 a.m. <u>See attached</u> Between 4:00 to 6:00 p.m.
	Traffic Report Are you proposing any special measures (carpooling, public transit, telecommuting) to reduce automobile trips by employees ♀ Yes X No If yes, please specify what you are proposing:
11.	Are you aware of any potentially problematic roadway conditions that may exist or result from the proposed project, such as poor sight distance at access points, connecting with the public road? ⊕ Yes X No If yes, please describe:
<u>Agri</u>	cultural Information
	complete this section if your site is: 1) Within the Agricultural land use category, or 2) ently in agricultural production.
2.	Is the site currently in Agricultural Preserve (Williamson Act)? X Yes P No If yes, is the site currently under land conservation contract? X Yes P No If your land is currently vacant or in agricultural production, are there any restrictions on the crop productivity of the land? That is, are there any reasons (i.e., poor soil, steep slopes) the land cannot support a profitable agricultural crop? Please explain in detail: N/A
Spe	cial Project Information
1.	Describe any amenities included in the project, such as park areas, open spaces, common recreation facilities, etc.(these also need to be shown on your site plan): None
2.	Will the development occur in phases? X Yes ⊕ No If yes describe: See Project Description
3.	Do you have any plans for future additions, expansion or further activity related to or connected with this proposal? ★ Yes X No If yes, explain:
4.	Are there any proposed or existing deed restrictions?
Ene	gy Conservation Information
1.	Describe any special energy conservation measures or building materials that will be incorporated into your project *: N/A
	*The county's Building Energy Efficient Structures (BEES) program can reduce your construction permit fees. Your building must exceed the California State Energy Standards (Title 24) in order to qualify for this program. If you are interested in more information, please contact the Building Services Division of the Department of Planning and Building at (805) 781-5600.
<u>Envi</u>	ronmental Information
1.	List any mitigation measures that you propose to lessen the impacts associated with your project: See Project Description

2.	Are you aware of any unique, rare or endangered species (vegetation or wildlife) associated with the
	project site? X Yes ⊕ No
	If yes, please list: See attached Botanical and Biological Reports
3.	Are you aware of any previous environmental determinations for all or portions of this property?
	X Yes ⊕ No
	If yes, please describe and provide "ED" number(s): 78-121

Other Related Permits

1. List all permits, licenses or government approvals that will be required for your project (federal, state and local):

Air Pollution Control District-Authority to Construct and Permit to Operate, CA

Division of Oil, Gas and Geothermal Resources-Notice of Intention to Drill Wells, SLO County-Petroleum

Permit.

(If you are unsure if additional permits are required from other agencies, please ask a member of the Planning Department staff currently assigned in either Current Planning or the Environmental Division.)

INFORMATION DISCLOSURE FORM

San Luis Obispo County Department of Planning and Building

File No	

TIME LIMITS FOR PROCESSING AND PUBLIC NOTICE DISTRIBUTION REQUIREMENTS - California state law (California Government Code Section 65941.5) requires that the county provide the following information to applicants, when a permit application is filed:

Not later than 30 days after a land use or land division application is received, the county must notify the project applicant or designated representative in writing either that the application is complete, or that items are necessary to complete the application. If you are not notified in writing, the application is considered complete. Any land use or land division application must be approved or denied within three months of adoption of the Negative Declaration or determination that the project is exempt, or within six months of the certification of an Environmental Impact Report. The County of San Luis Obispo processes the land use application and the environmental review concurrently, so these decisions are made simultaneously. (Government Code Sections 65943 and 65950, et seq.)

A project applicant may make a written request to the county to receive notice of any proposal to adopt or amend the general plan and the land use, real property division, building and construction, road name and addressing, and growth management ordinances which might reasonably be expected to affect that applicant's project. The county offers a subscription service for notification of either: (1) all applications received by the county, or (2) Planning Commission agendas. The cost for each of these services is established by the county fee ordinance. (Government Code Sections 65945, 65945.3 and 65945.5)

When a property was created through recordation of a final or parcel map, and it is within five years of recordation, the county cannot withhold or condition the issuance of building permits for residential units based on conformance with conditions that could have been imposed as conditions of the tentative map, except where: (1) A failure to do so would place subdivision residents or residents in the immediate area in a condition perilous to health, safety or both; or (2) The condition is required in order to comply with state or federal law. (Government Code Section 65961)

Copies of Government Code Sections are available at the County of San Luis Obispo Law Library, County Government Center, San Luis Obispo, California.

RIGHT TO FARM DISCLOSURE - The County of San Luis Obispo recognizes the statewide policy to protect and encourage Agriculture. Sections 3482.5 and 3482.6 of the California Civil Code and Chapter 5.16. of the San Luis Obispo County Code protect certain, pre-existing agricultural production and processing operations ("agricultural operation") from nuisance claims. If your property is near a protected agricultural operation, you may be subject to certain inconveniences and/or discomforts which are protected by law. In order for the agricultural operation to be protected, the following requirements of Civil Code Sections 3482.5 and 3482.6 must be satisfied:

(1) The agricultural operation must be conducted or maintained for commercial purposes; (2) The agricultural operation must be conducted or maintained in a manner consistent with proper and accepted customs and standards as established and followed by similar agricultural operations in the same locality; (3) The agricultural operation predated the affected use(s) on your property; (4) The agricultural operation has been in existence for more than three years; and (5) The agricultural operation was not a nuisance at the time it began.

If your property is near an agricultural operation in the unincorporated area of the County which satisfies the above requirements, you may at times be subject to one or more inconveniences and/or discomfort arising from that operation. Such inconveniences may include (depending upon the type of agricultural operation protected), but are not necessarily limited to, the following: noise, odors, fumes, dust, legal pesticide use, fertilizers, smoke, insects, farm personnel and truck traffic, visual impacts, night time lighting, operation of machinery and the storage, warehousing and processing of agricultural products or other inconveniences or discomforts associated with the protected agricultural operations. For additional information pertaining to this disclosure and the Right to Farm Ordinance, or concerns with an agricultural operation, please contact the San Luis Obispo County Agricultural Commissioner's Office.

HAZARDOUS WASTE AND SUBSTANCE SITES AND LANDFILL DISCLOSURE - Please verify whether your project is on the Known Hazardous Waste and Substances Sites List pursuant to AB 3750 and if you are within ½ mile of certain landfills (see back of sheet).

PLEASE COMPLETE AND SIGN BELOW

I acknowledge that I have read and understand the information and policy and detailed above: (1) Time Limits for processing and (2) Public Notice Distribution requirements and (3) the Right to Farm Disclosure.

AND

I acknowledge that I have reviewed the list of Identified Hazardous Waste and Substances Sites List and the Landfill Disclosure on the back of this form and find the following: (1) The site is not shown on the list of Identified Hazardous Waste and Substances Site; (2) The site is not shown on the list dated April 1998, or any later list published by the State Office of Planning and Research and (3) I have read the disclosure statement on Jandfill operations.

			July_21, 2009	
	Signature		Date	
Print Name:	C.M. Florence, AICP	Agent		

SAN LUIS OBISPO COUNTY IDENTIFIED HAZARDOUS WASTE SITES – April, 1998

IMPACT CITY: ARROYO GRANDE

Site: Union Oil Co - Santa Maria refinery Location: Willow Rd. north of Guadalupe City: Arroyo Grande Zip: 93420

Source: DHS1

IMPACT CITY: CAMBRIA

Site: Hampton Hotel Location: 2601 Main Street City: Cambria Zip: 93428 Source: WRCB Problem: Tank Leak

Site: Cambria General Store Location: 850 Main Street City: Cambria Zip: 93428 Source: WRCB Problem: Tank Leak

Site: Chevron

Location: 2194 Main Street City: Cambria Zip: 93428

Source: WRCB Problem: Tank Leak

IMPACT CITY: CAYUCOS

Site: Chevron

Location: 12 N. Ocean Boulevard City: Cayucos Zip: 93430 Source: WRCB Problem: Tank Leak

Site: Bob's Corner Store

Location: 198 N. Ocean Boulevard City: Cayucos Zip: 93430 Source: WRCB Problem: Tank Leak

IMPACT CITY: CHOLAME

Site: Hearst Corp.
Location: Highway 46
City: Cholame Zip: 93431
Source: WRCB Problem: Tank Leak

IMPACT CITY: LOS OSOS Site: Los Osos Valley Garage Location:1099 Los Osos Valley Road City: Los Osos Zip: 93402

Source: WRCB Problem: Tank Leak

Site: Los Osos Landfill Location: Turri Road

City: Los Osos Zip: 93402

Source: CIWMB

Problem:Groundwater Contamination

IMPACT CITY: LOS PADRES

Site: Ozena Station

Location: Highway 33 Zip: 93023 Source: WRCB Problem: Tank Leak

IMPACT CITY: OCEANO

Site: Bell Craig (from service station) Location: 1899 Cienega City: Oceano Zip: 93445

Source: WRCB Problem: Tank Leak

IMPACT CITY: PASO ROBLES

Site: Camp Roberts Site 936 Location: Highway 101 City: San Miguel Zip: 93451 Source: WRCB Problem: Tank Leak

Site: San Paso Truck & Auto Location: Wellsona Road

City: Paso Robles Zip: 93446 Source: WRCB Problem: Tank Leak

IMPACT CITY: SAN LUIS OBISPO

Site: Unocal Tank Farm Facility Location: 276 Tank Farm Road City: San Luis Obispo Zip: 93401 Source: WRCB Problem: Tank Leak

Site: Hearn Trucking Location: 4902 Edna Road City: San Luis Obispo Zip: 93401 Source: WRCB Problem: Tank Leak

Site: Camp San Luis Obispo Location:Highway 1 west of Highway 101 City: San Luis Obispo Zip: 93401 Source: WRCB Problem: Tank Leak

Site: SLO Golf & Country Club Location: 255 Country Club City: San Luis Obispo Zip: 93401 Source: WRCB Problem: Tank Leak

IMPACT CITY: SAN SIMEON

Site: Chevron

Location: 9540 Castillo Drive City: San Simeon Zip: 93452 Source: WRCB Problem: Tank Leak

IMPACT CITY: SANTA MARGARITA

Site: Kaiser Sand & Gravel Location: El Camino Real City: Santa Margarita Zip: 93453 Source: WRCB Problem: Tank Leak

Site: Pacific Beverage Location: 22255 El Camino Real City: Santa Margarita Zip: 93453 Source: WRCB Problem: Tank Leak

IMPACT CITY: TEMPLETON

Site: Templeton Mobile Location: 701 Las Tablas City: Templeton Zip: 93465 Source: WRCB Problem: Tank

LANDFILL OPERATIONS DISCLOSURE EL POMAR/ESTRELLA PLANNING AREA

If your site is located within 1/2 mile of either the Paso Robles Municipal or the Chicago Grade Landfills (see maps on file with the Department of Planning and Building), this acts to notify you of your proximity to a landfill operation and all of the associated inconveniences and discomforts resulting from the continuing and future operation such landfill. includina possible expansions. Persons living near landfills may contact the California Integrated Waste Management Board (916) 341-6413 to seek available remedies concerning any improper or unlawful activities at the landfill.